

Data Sheet

Bone Morphogenetic Protein-7 Human Recombinant, CHO

Bone Morphogenetic	Protein-7 Human Recombinant, CHO
Catalogue Number	IY-276
Synonyms	Osteogenic Protein 1, BMP-7.
Introduction	The bone morphogenetic proteins (BMPs) are a family of secreted
	signaling molecules that can induce ectopic bone growth. Many BMPs are
	part of the transforming growth factor-beta (TGFB) superfamily. BMPs
	were originally identified by an ability of demineralized bone extract to
	induce endochondral osteogenesis in vivo in an extraskeletal site. Based
	on its expression early in embryogenesis, the BMP encoded by this gene
	has a proposed role in early development. In addition, the fact that this
	BMP is closely related to BMP5 and BMP7 has lead to speculation of
	possible bone inductive activity.
Patent Rights	The sale and/or commercial use of Recombinant Adiponectin is prohibited
	in the United States of America (U.S.A).
	N-TERMINALHuman BMP-2 (Met 1 – Arg 282) Human BMP-7 (Ser 293 –
	Arg 431)C-TERMINAL. The DNA sequence encoding the human BMP-2
	signal peptide and propeptide (1~282 amino acid) fused to the human
	rhBMP-7 mature chain (293~431 amino acid) was expressed in a Chinese
	hamster ovary cell line. The mature recombinant BMP-7 generated by the
Description	proteolytic removal of the signal peptide and propetide contains 139
	amino acid residues. The glycosylation of BMP-7 increases the molecular
	mass and the glycosylated proteins migrate as 25 ~ 40 kDa in SDS-PAGE
	under non-reducing conditions. BMP-7 is purified by proprietary
	chromatographic techniques.
Source	Chinese Hamster Ovarian Cells.
	BMP-7 was lyophilized from a concentrated (1mg/ml) sterile solution
Formulation	containing 1% sucrose, 1.2% mannitol, 20mM glycine and 0.05%
	polysorbate 20 pH-4.
Solubility	It is recommended to reconstitute the lyophilized Bone Morphogenetic
	Protein-7 in 0.5mg/1ml sterile/ endotoxin free water.
Stability	Lyophilized BMP-7 although stable at room temperature for 3 weeks,
	should be stored desiccated below -18°C. Upon reconstitution BMP 7
	Human should be stored at 4°C between 2-7 days and for future use below
	-18°C.
	For long term storage it is recommended to add a carrier protein (0.1%
	HSA or BSA).
	Please prevent freeze-thaw cycles.
Purity	Greater than 97.0% as determined by:
	(a) Analysis by RP-HPLC.
	(b) Analysis by SDS-PAGE.
	Measured in alkaline phosphatase activity assay using MC3T3-E1 cells. The
Biological Activity	ED50 for this effect is < 70ng/ml, corresponding to a Specific Activity of
	14,286IU/mg.
	- ',','''

	Products are furnished for LABORATORY RESEARCH USE ONLY. The
Usage	product may not be used as drugs, agricultural or pesticidal products, food
	additives or household chemicals.